

CERTIFIED



# RX10 FULLY RUGGED TABLET

- Intel<sup>®</sup> Core<sup>™</sup> M vPro<sup>™</sup> Processor
- Premium Thin and Light design weighs 1.2kg and 18.8mm thin
- 10.1" Full HD LumiBond<sup>®</sup> 2.0 display with Getac sunlight readable technology and capacitive touchscreen
- 2-in-1 design for mobility as a tablet or productivity with the attached keyboard
- Getac's proprietary SnapBack add-on featuring kickstand and hand strap, smartcard reader or detachable keyboard



e

# **Rugged Mobile Computing Solutions**

# **Specifications**

# **Operating System**

Windows 10 Pro Windows 7 Pro

#### **Mobile Computing Platform** Platform Options

Intel® Core<sup>™</sup> M-5Y10c Processor 0.8 GHz Max. 2.0GHz with Intel® Turbo Boost Technology - 4MB Intel® Smart Cache

Intel® Core™ M-5Y71 vPro™ Processor 1.2 GHz Max. 2.9GHz with Intel® Turbo Boost Technology - 4MB Intel® Smart Cache

#### VGA Controller Intel<sup>®</sup> HD Graphics 5300

**Display** 

10.1" IPS TFT LCD FHD (1920 x 1200) 800 nits LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen

# Storage & Memory

4GB LPDDR3 expandable to 8GB Optional OPAL 2.0 SSD 128GB / 256GB / 512GB

### **Keyboard**

6 tablet buttons (Windows, Power, Function Key 1, Function Key 2, Barcode Reader Trigger, Volume Up, Volume Down)

### **Pointing Device**

Touchscreen

· Capacitive multi-touch screen · Optional dual mode touchscreen (multi-touch and digitizer)

#### **Expansion Slot**

Optional 1D/2D imager barcode reader

# I/O Interface

HD webcam x 1 8M pixels auto focus rear camera x 1 Headphone out / mic-in combo x 1 DC in Jack x 1 USB 3.0 (9-pin) x 1 USB 2.0 (4-pin) x 1 Docking connector (16-pin) x 1 Micro HDMI x 1 Optional RF antenna pass-through for GPS, WLAN and WWAN

Communication Interface Intel® Dual Band Wireless-AC 7265, 802.11ac Bluetooth (v4.0)<sup>i</sup> Optional dedicated GPS Optional 4G LTE mobile broadband

#### **Security Feature** TPM 2.0

Optional Intel<sup>®</sup> vPro<sup>™</sup> Technology Optional fingerprint scanner or HF RFID reader<sup>ii,iii</sup> Optional SnapBack add-on: Hand Strap & Kick Stand & Smart Card Reader Optional SnapBack add-on: Hand Strap & Kick Stand & Smart Card Reader & Detachable Keyboard

#### Power

AC adapter (65W, 100-240VAC, 50 / 60Hz) Li-lon battery (15.2V, 2160mAh)<sup>™</sup> LifeSupport<sup>™</sup> battery swappable technology Optional High Capacity Battery with Smart Card reader Expansion (14.4V, 5800mAh)<sup>™</sup>

# Dimension (W x D x H) & Weight

280 x 245 x 18.8 mm (11" x 9.65" x 0.74") 1.2kg (2.65 lbs)

# **Rugged Feature**

MIL-STD-810G certified and IP65 certified MIL-STD-461F certified

4 feet drop resistant Vibration & drop resistant e-Mark certified for vehicle usage Optional ANSI/ISA 12.12.01

**Environmental Specification** 

## **Temperature**<sup>vii</sup>

Operating: -21°C to 55°C / -5.8F to 131°F Storage: -51°C to 71°C / -60°F to 160°F

Humidity: - 95% RH , non-condensing

## Accessories

Carry bag Main battery (15.2V, 2160mAh) Main battery (15.2V, 2160mAn) High Capacity battery (14.4V, 5800mAh) Multi-Bay Charger (Dual Bay) Multi-Bay Charger (Eight Bay) AC adapter (65W, 100-240VAC) Vehicle adapter (90W, 11-16V DC and 22-32V DC) Capacitive stylus Diritizer Pan Digitizer Pen Shoulder strap (2-point) Hand Strap & Kick Stand Hand Strap & Kick Stand & Smart Card Reader Hand Strap & Kick Stand & Smart Card Reader & Detachable Keyboard Kick Stand Vehicle dock Office dock Protection film

#### **Bumper-to-Bumper warranty**

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime

That is why Getac has introduced accidental damage as standard under our nev Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days. Standard

3 years Bumper-to-Bumper

- Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth vireless devices that is operating in the area.
- HF RFID and Fingerprint scanner are mutually iii
- exclusive options. 13.56MHz Contactless HF RFID/NFC reader (ISO 15693, 14443 A/B, Mifare and FeliCa™ compliant) iv
- compilant). Battery life testing conducted under MobileMark 2007. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. The battery has a invited purpher of horse and power limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles
- vary by use and settings.
  v Weight and dimensions vary from configurations and optional accessories.
  vi MIL-STD-461F 90W AC adapter sold
- separately.
- vii Tested by a national independent third party test lab following MIL-STD-810G.

# RX Fully Rugged **Tablet**



# **Docking Solutions**

	Vehicle Dock	Office Dock
Serial Port	1	
External VGA		1
DC in Jack	1	1
USB	2	4
LAN	1	1
HDMI		1



# GETAC TECHNOLOGY CORPORATION

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 11568, Taiwan, R.O.C. Tel : +886 2 2785 7888 globalmarketing@getac.com | www.getac.com



Copyright © 2018 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved tion provided herewith is for reference only available specification shall be subjected to quotation by request. V01M02Y18WW

IE Fieldworks Direct BV

Veemarktkade 8 NL-5222 AE 's-Hertogenbosch e-mail: info@fieldworks.nl tel. +31(0) 73 624 1111 fax +31(0) 73 624 1112

www.fieldworks.nl