



# V110 FULLY RUGGED NOTEBOOK

- Enhanced Enterprise Security with optional Intel vPro, Windows Disk Encryption, TPM 2.0 and many more multi-factor authentication options
- 7th Generation Intel<sup>®</sup> Core<sup>™</sup> i7 / i5 vPro<sup>™</sup> Processor
- 11.6" LumiBond® 2.0 Display with Getac Sunlight Readable Technology and Capacitive Touchscreen
- LifeSupport<sup>™</sup> battery swappable technology
- Optional Dual Mode Touchscreen. (multi-touch and digitizer)

















### **Specifications**

#### **Operating System**

Windows 10 Pro

#### **Mobile Computing Platform**

Platform Options:

Intel® Core™ i7-Technology
Intel® Core™ i7-7500U Processor 2.7GHz
Max. 3.5GHz with Intel® Turbo Boost Technology
- 4MB Intel® Smart Cache

Intel® Core™ i7 vPro™ Technology Intel® Core™ i7-7600U vPro™ Processor 2.8GHz Max. 3.9GHz with Intel® Turbo Boost Technology 4MB Intel® Smart Cache

Intel® Core™ i5 Technology - Intel® Core™ i5-7200U Processor 2.5GHz Max. 3.1GHz with Intel® Turbo Boost Technology 3MB Intel® Smart Cache

Intel® Core™ i5 vPro™ Technology Intel® Core™ i5-7300U vPro™ Processor 2.6GHz Max. 3.5GHz with Intel® Turbo Boost Technology 3MB Intel® Smart Cache

#### **VGA Controller**

Intel® HD Graphics 620

**Display** 11.6" IPS TFT LCD HD (1366 x 768) 800 nits LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen

#### **Storage & Memory**

8GB DDR4 expandable to 16GB Optional SSD 128GB / 256GB / 512GB / 1TB Optional OPAL SSD 256GB / 512GB

#### Keyboard

LED backlit membrane keyboard Optional Rubber Keyboard

#### **Pointing Device**

Touchscreen

- Capacitive multi-touch screen
  Optional dual mode touchscreen (multi-touch

Touchpad

Glide touchpad with left-click and right-click

#### **Expansion Slot**

ExpressCard/54 x Smart Card reader x 1

#### I/O Interface

FHD webcam x 1 Serial port (9-pin; D-sub) x 1 Headphone out / mic-in Combo x 1 DC in Jack x 1 USB 3.0 (9-pin) x 3 LAN (RJ45) x 1 HDMI x 1

Docking connector (24-pin) x 1 Optional 8M pixels auto focus rear camera x1 Optional RF antenna pass-through for GPS, WLAN and WWAN

### **Communication Interface**

10/100/1000 base-T Ethernet Intel® Dual Band Wireless-AC 8265; 802.11ac Bluetooth (v4.2)<sup>i</sup> Optional dedicated GPS Optional 4G LTE mobile broadband

#### **Security Feature**

Optional Intel® vPro™ Technology Optional HF RFID and contactless Smart Card reader<sup>ii</sup> Optional fingerprint scanner

#### Power

AC Adapter (65W, 100-240VAC, 50/60 Hz) Li-lon battery (11.1V, 2100mAh) x 2 (up to 13 hours of battery life)<sup>ii</sup> LifeSupport<sup>™</sup> battery swappable technology

Dimension (W x D x H) & Weight

313 x 238 x 39 mm (12.32" x 9.37" x 1.53"), 1.98 Kg (4.36 lbs)<sup>v</sup>

#### **Rugged Feature**

MIL-STD-810G certified and IP65 certified MIL-STD-461G certified Optional ANSI/ISA 12.12.01
Optional Salt fog certified Vibration & drop resistant e-Mark certified for vehicle usage

#### **Environmental Specification**

- Operating: -21°C to 60°C / -5.8°F to 140°F Storage: -51°C to 71°C / -60°F to 160°F
- Humidity: 95% RH , non-condensing

#### Accessories

Carry bag Multi-Bay Charger (Dual Bay) Multi-Bay Charger (Eight-Bay)
Vehicle adapter (90W, 11-16VDC and 22-32VDC)
MIL-STD-461G certified AC adapter (90W, 100-240VAC) Digitizer Pen Capacitive Stylus (Hard-tip) Protection film X Strap Shoulder Strap (2-point) Hard Handle Main battery (11.1V, 2100mAh) AC adapter (65W, 100-240VAC) Vehicle dock

#### **Bumper-to-Bumper warranty**

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our new Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

#### Standard

3 years Bumper-to-Bumper

- Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is
- operating in the area. 13.56MHz Contactless HF RFID/NFC reader (ISO 15693, 14443 A/B, Mifare and FeliCa™ compliant)
- Battery life testing conducted under MobileMark 2014. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and brightness, customized modules and environmental conditions. The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

  iv Weight and dimensions vary from configurations and optional accessories.

  v MIL-STD-461G 90W AC adapter sold separately
- separately. Tested by a national independent third party test lab following MIL-STD-810G.

# **Fully Rugged** Notebook



#### **Docking Solutions**

	Vehicle Dock	Office Dock
Serial Port	2	2
External VGA	1	1
Microphone	1	1
Audio Output	1	1
DC in Jack	1	1
USB	4	4
LAN	1	1
HDMI	1	1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	

## Getac

#### GETAC TECHNOLOGY CORPORATION

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 11568, Taiwan, R.O.C. Tel: +886 2 2785 7888 globalmarketing@getac.com | www.getac.com



Copyright © 2018 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved available specification shall be subjected to quotation by request. V01M03Y18WW

Fieldworks Direct BV Veemarktkade 8 NL-5222 AE 's-Hertogenbosch e-mail: info@fieldworks.nl tel. +31(0) 73 624 1111 fax +31(0) 73 624 1112